

Installation Manual

















Installation Manual

Overview

The UCB Stores Safety Screens have been produced with simplicity of installation and complete safety in mind. Made with acrylic or polycarbonate, each screen offers a fast and effective way of protecting staff and shoppers.

After examining many off the shelf items, UCB decided that customising a solution, that met the many site Health & Safety requirements was the best way forward.

Why take the customisation approach?

Pre-drilled holes allow for fast hanging from the ceiling with T Hooks and Fishing wire tethers. The lightweight fishing wire provided is 3kg breaking strain, which is more than adequate for the screen weight.



Cable ties and pre-drilled holes provide for fast and easy installation to robbery jump cables, protecting the cables integrity and stability for day to day operations.



The sticker provided is critical to apply as it reminds the shopper that there is a guard in place for Health & Safety reasons, reinforcing your commitment to safety and helping the shopper to not bump the screen by mistake.



UCB have tested all units onsite. We believe they offer high levels of safety for all staff and shoppers when installed correctly.



Installation Requirements

The following tools are required for the set-up/installation of the UCB Safety Screen:



Maintenance

All Acrylic & Polycarbonate surfaces can be cleaned using a mild detergent. Avoid abrasive, ammonia or caustic substances. Using a soft cloth with mild, liquid detergent in warm water, carefully wipe down all surfaces, followed immediately with a dry, lint free cloth wipe down. Do not attempt to scrape or use shrap objects to remove scratching on screen.















Installation Manual

Set-Up


Carefully unwrap all parts and peel away protective coating packed with each Safety Screen and carefully account for all pieces as per parts list outlined.


Option One Free Standing Counter Top Safety Screen


- A 1x 600mm x 600mm screen.
- **B** 2x 300mm x 300mm legs.
- C Safety Screen Sticker 35mm x 420mm – This safety screen is in place to help safeguard you and your team.

Also included:

Staff Safety Screen Fitting Pack (if mounting to ceiling or jump wires, see pages 4 & 5 for these instructions).







After removing protective coating, insert 2x legs into screen slots.

Apply safety screen sticker to bottom of screen between legs:

For additional safety (where permissable) use cable ties provided to secure top of screen to jump wire ropes.



















Installation Manual

Option Two Hanging Safety Screen

- A 1x 600mm x 600mm screen.
- **B** Safety Screen Sticker 35mm x 420mm This safety screen is in place to help safeguard you and your team.
- **C** Staff Safety Screen Fitting Pack (See below).







Suspend safety screen using fishing wire provided and adjust position to suit















Installation Manual


Option Three Jump wire mounted Safety Screen

- A 1x 600mm x 600mm screen.
- **B** Safety Screen Sticker 35mm x 420mm This safety screen is in place to help safeguard you and your team.
- C Staff Safety Screen Fitting Pack (See below).



Attach safety screen to existing jump wires using cable ties provided

(Included in the staff safety screen fitting pack)



Please install in accordance with instructions provided. This product is not intended for any other use.

Page 5 of 5















We're here for you

with the brands you love

#Safedistance #Open7days #Hereforyou



























































































































We're all in this together